

If a conflict arises between a Clinical Payment and Coding Policy and any plan document under which a member is entitled to Covered Services, the plan document will govern. If a conflict arises between a CPCP and any provider contract pursuant to which a provider participates in and/or provides Covered Services to eligible member(s) and/or plans, the provider contract will govern. "Plan documents" include, but are not limited to, Certificates of Health Care Benefits, benefit booklets, Summary Plan Descriptions, and other coverage documents. Blue Cross and Blue Shield of Oklahoma may use reasonable discretion interpreting and applying this policy to services being delivered in a particular case. BCBSOK has full and final discretionary authority for their interpretation and application to the extent provided under any applicable plan documents.

Providers are responsible for submission of accurate documentation of services performed. Providers are expected to submit claims for services rendered using valid code combinations from Health Insurance Portability and Accountability Act approved code sets. Claims should be coded appropriately according to industry standard coding guidelines including, but not limited to: Uniform Billing Editor, American Medical Association, Current Procedural Terminology, CPT® Assistant, Healthcare Common Procedure Coding System, ICD-10 CM and PCS, National Drug Codes, Diagnosis Related Group guidelines, Centers for Medicare and Medicaid Services National Correct Coding Initiative Policy Manual, CCI table edits and other CMS guidelines.

Claims are subject to the code edit protocols for services/procedures billed. Claim submissions are subject to claim review including but not limited to, any terms of benefit coverage, provider contract language, medical policies, clinical payment and coding policies as well as coding software logic. Upon request, the provider is urged to submit any additional documentation.

## **Vitamin B12 and Methylmalonic Acid Testing**

**Policy Number:** CPCPLAB010

**Version 1.0**

**Approval Date:** Jan. 12, 2026

**Plan Effective Date:** May 01, 2026

## Description

The Plan has implemented certain lab management reimbursement criteria. Not all requirements apply to each product. Providers are urged to review Plan documents for eligible coverage for services rendered.

## Reimbursement Information:

- 1) Total vitamin B12 (serum cobalamin) testing **may be reimbursable** once every three months for **any** of the following situations:
  - a) For individuals with the following signs and symptoms of vitamin B12 deficiency:
    - i) Cutaneous
      - (a) Hyperpigmentation
      - (b) Jaundice
      - (c) Vitiligo
    - ii) Gastrointestinal
      - (a) Glossitis
    - iii) Hematologic
      - (a) Anemia (macrocytic, megaloblastic)
      - (b) Leukopenia
      - (c) Pancytopenia
      - (d) Thrombocytopenia
      - (e) Thrombocytosis
    - iv) Neuropsychiatric
      - (a) Areflexia
      - (b) Cognitive impairment (including dementia-like symptoms and acute psychosis)
      - (c) Gait abnormalities
      - (d) Irritability
      - (e) Loss of proprioception and vibratory sense
      - (f) Olfactory impairment
      - (g) Peripheral neuropathy
  - b) For individuals undergoing treatment for vitamin B12 deficiency.
  - c) For individuals with one or more of the following risk factors for vitamin B12 deficiency:

- i) For individuals with decreased ileal absorption due to:
    - (a) Crohn's disease
    - (b) Ileal resection
    - (c) Tapeworm infection
    - (d) Having undergone, or for those who have been scheduled for, bariatric procedures such as Roux-en-Y gastric bypass, sleeve gastrectomy, or biliopancreatic diversion/duodenal switch.
  - ii) For individuals with decreased intrinsic factor due to:
    - (a) Atrophic gastritis
    - (b) Pernicious anemia
    - (c) Postgastrectomy syndrome
  - iii) For individuals with transcobalamin II deficiency
  - iv) For individuals with inadequate B12 intake:
    - (a) Due to alcohol abuse
    - (b) In individuals older than 75 years or elderly individuals being evaluated for dementia
    - (c) In vegans or strict vegetarians (including exclusively breastfed infants of vegetarian/vegan mothers)
    - (d) Due to an eating disorder
  - v) For individuals with prolonged medication use:
    - (a) Histamine H2 blocker use for more than 12 months
    - (b) Metformin use for more than 4 months
    - (c) Proton pump inhibitor use for more than 12 months
- 2) In asymptomatic high-risk individuals with low-normal levels of vitamin B12 or when vitamin B12 deficiency is suspected but the serum vitamin B12 level is normal or low-normal, methylmalonic acid testing to confirm vitamin B12 deficiency **may be reimbursable**.
  - 3) For the evaluation of inborn errors of metabolism, methylmalonic acid testing **may be reimbursable**.
  - 4) In healthy, asymptomatic individuals, screening for vitamin B12 deficiency **is not reimbursable**.
  - 5) For the confirmation of vitamin B12 deficiency, homocysteine testing **is not reimbursable**.
  - 6) For the screening, testing, or confirmation of vitamin B12 deficiency, holotranscobalamin testing **is not reimbursable**.

- 7) For all other situations not described above, total vitamin B12 (serum cobalamin) testing **is not reimbursable**.

## Procedure Codes

The following is not an all-encompassing code list. The inclusion of a code does not guarantee that it is a covered service or eligible for reimbursement.

Codes
82607, 83090, 83921, 84999

## References:

1. Oh R, Brown DL. Vitamin B12 deficiency. *American family physician*. Mar 01 2003;67(5):979-86.
2. Sobczynska-Malefora A, Gorska R, Pelisser M, Ruwona P, Witchlow B, Harrington DJ. An audit of holotranscobalamin ("Active" B12) and methylmalonic acid assays for the assessment of vitamin B12 status: application in a mixed patient population. *Clinical biochemistry*. Jan 2014;47(1-2):82-6. doi:10.1016/j.clinbiochem.2013.08.006
3. Langan RC, Goodbred AJ. Vitamin B12 Deficiency: Recognition and Management. *American family physician*. Sep 15 2017;96(6):384-389.
4. Means Jr RT, Fairfield KM. Causes and pathophysiology of vitamin B12 and folate deficiencies. Updated October 02, 2025. <https://www.uptodate.com/contents/causes-and-pathophysiology-of-vitamin-b12-and-folate-deficiencies>
5. Hunt A, Harrington D, Robinson S. Vitamin B12 deficiency. *BMJ (Clinical research ed)*. Sep 04 2014;349:g5226. doi:10.1136/bmj.g5226
6. Zeuschner CL, Hokin BD, Marsh KA, Saunders AV, Reid MA, Ramsay MR. Vitamin B(1)(2) and vegetarian diets. *The Medical journal of Australia*. Aug 19 2013;199(4 Suppl):S27-32. doi:10.5694/mja11.11509
7. Green R. Vitamin B12 deficiency from the perspective of a practicing hematologist. *Blood*. May 11 2017;129(19):2603-2611. doi:10.1182/blood-2016-10-569186
8. Stabler SP. Clinical practice. Vitamin B12 deficiency. *The New England journal of medicine*. Jan 10 2013;368(2):149-60. doi:10.1056/NEJMcp1113996
9. Fan X, Zhang L, Li H, et al. Role of homocysteine in the development and progression of Parkinson's disease. *Ann Clin Transl Neurol*. Oct 21 2020;doi:10.1002/acn3.51227
10. Hama Y, Hamano T, Shirafuji N, et al. Influences of Folate Supplementation on Homocysteine and Cognition in Patients with Folate Deficiency and Cognitive Impairment. *Nutrients*. Oct 14 2020;12(10)doi:10.3390/nu12103138
11. Sangle P, Sandhu O, Aftab Z, Anthony AT, Khan S. Vitamin B12 Supplementation: Preventing Onset and Improving Prognosis of Depression. *Cureus*. Oct 26 2020;12(10):e11169. doi:10.7759/cureus.11169

12. Kennedy KP, Alexander JL, Garakani A, et al. Vitamin B(12) Supplementation in Psychiatric Practice. *Curr Psychiatry Rep.* Jun 2024;26(6):265-272. doi:10.1007/s11920-024-01505-4
13. Langan RC, Zawistoski KJ. Update on vitamin B12 deficiency. *American family physician.* Jun 15 2011;83(12):1425-30.
14. Willis CD, Elshaug AG, Milverton JL, Watt AM, Metz MP, Hiller JE. Diagnostic performance of serum cobalamin tests: a systematic review and meta-analysis. *Pathology.* Aug 2011;43(5):472-81. doi:10.1097/PAT.0b013e3283486435
15. Rogne T, Tielemans MJ, Chong MF, et al. Associations of Maternal Vitamin B12 Concentration in Pregnancy With the Risks of Preterm Birth and Low Birth Weight: A Systematic Review and Meta-Analysis of Individual Participant Data. *Am J Epidemiol.* Feb 1 2017;185(3):212-223. doi:10.1093/aje/kww212
16. Schroder TH, Tan A, Mattman A, et al. Reference intervals for serum total vitamin B12 and holotranscobalamin concentrations and their change points with methylmalonic acid concentration to assess vitamin B12 status during early and mid-pregnancy. *Clin Chem Lab Med.* May 14 2019;doi:10.1515/cclm-2018-1337
17. Yetim A, Aygun E, Yetim C, et al. Measurement of serum vitamin B12-related metabolites in newborns: implications for new cutoff values to detect B12 deficiency. *J Matern Fetal Neonatal Med.* Jul 2 2019:1-9. doi:10.1080/14767058.2019.1633301
18. Berg RL, Shaw GR. Laboratory evaluation for vitamin B12 deficiency: the case for cascade testing. *Clinical medicine & research.* Feb 2013;11(1):7-15. doi:10.3121/cmr.2012.1112
19. Rozmarič T, Mitulović G, Konstantopoulou V, et al. Elevated Homocysteine after Elevated Propionylcarnitine or Low Methionine in Newborn Screening Is Highly Predictive for Low Vitamin B12 and Holo-Transcobalamin Levels in Newborns. *Diagnostics (Basel).* Aug 24 2020;10(9)doi:10.3390/diagnostics10090626
20. Oberley MJ, Yang DT. Laboratory testing for cobalamin deficiency in megaloblastic anemia. *American journal of hematology.* Jun 2013;88(6):522-6. doi:10.1002/ajh.23421
21. Mak J, Peng G, Le A, et al. Validation of a targeted metabolomics panel for improved second-tier newborn screening. *J Inherit Metab Dis.* Mar 2023;46(2):194-205. doi:10.1002/jimd.12591
22. HQO. Vitamin B12 and cognitive function: an evidence-based analysis. *Ontario health technology assessment series.* 2013;13(23):1-45.
23. Li J, Li B, Qi J, Shen B. [Meta-analysis of clinical trials of folic acid, vitamin B12 and B6 supplementation on plasma homocysteine level and risk of cardiovascular disease]. *Zhonghua Xin Xue Guan Bing Za Zhi.* Jun 2015;43(6):554-61.
24. Gebremicael G, Alemayehu M, Sileshi M, et al. The serum concentration of vitamin B12 as a biomarker of therapeutic response in tuberculosis patients with and without human immunodeficiency virus (HIV) infection. *Int J Gen Med.* 2019;12:353-361. doi:10.2147/ijgm.S218799
25. Wolffenbuttel BHR, Heiner-Fokkema MR, Green R, Gans ROB. Relationship between serum B12 concentrations and mortality: experience in NHANES. *BMC Medicine.* 2020/10/09 2020;18(1):307. doi:10.1186/s12916-020-01771-y
26. Sasaki Y, Sato T, Maeda T, et al. Evaluation of the One-Hour <sup>13</sup>C-Propionate Breath Test in 49 Patients from a Single Center in Japan to Detect Vitamin B<sub>12</sub> Deficiency. *Med Sci Monit.* May 8 2023;29:e940238. doi:10.12659/msm.940238

27. Rubio-Tapia A, Hill ID, Kelly CP, Calderwood AH, Murray JA. ACG clinical guidelines: diagnosis and management of celiac disease. *The American journal of gastroenterology*. May 2013;108(5):656-76; quiz 677. doi:10.1038/ajg.2013.79
28. CDC. Vitamin B12. <https://www.cdc.gov/breastfeeding-special-circumstances/hcp/diet-micronutrients/vitamin-b12.html>
29. Devalia V, Hamilton MS, Molloy AM. Guidelines for the diagnosis and treatment of cobalamin and folate disorders. *British journal of haematology*. Aug 2014;166(4):496-513. doi:10.1111/bjh.12959
30. BCMA. Cobalamin (vitamin B12) and Folate Deficiency. Updated January 18, 2023. <https://www2.gov.bc.ca/gov/content/health/practitioner-professional-resources/bc-guidelines/vitamin-b12>
31. Gonzalez-Campoy JM, St Jeor ST, Castorino K, et al. Clinical practice guidelines for healthy eating for the prevention and treatment of metabolic and endocrine diseases in adults: cosponsored by the American Association of Clinical Endocrinologists/the American College of Endocrinology and the Obesity Society. *Endocrine practice : official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists*. Sep-Oct 2013;19 Suppl 3:1-82. doi:10.4158/ep13155.gl
32. Garber AJ, Handelsman Y, Grunberger G, et al. Consensus Statement by the American Association of Clinical Endocrinologists and American College of Endocrinology on the Comprehensive Type 2 Diabetes Management Algorithm - 2020 Executive Summary. *Endocrine practice : official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists*. Jan 2020;26(1):107-139. doi:10.4158/CS-2019-0472
33. Parrott J, Frank L, Rabena R, Craggs-Dino L, Isom KA, Greiman L. American Society for Metabolic and Bariatric Surgery Integrated Health Nutritional Guidelines for the Surgical Weight Loss Patient 2016 Update: Micronutrients. *Surgery for obesity and related diseases : official journal of the American Society for Bariatric Surgery*. May 2017;13(5):727-741. doi:10.1016/j.soard.2016.12.018
34. Mechanick JL, Apovian C, Brethauer S, et al. Clinical Practice Guidelines for Perioperative Nutrition, Metabolic, and Nonsurgical Support of Patients Undergoing Bariatric Procedure - 2019 Update: Cosponsored by American Association of Clinical Endocrinologists/American College of Endocrinology, The Obesity Society, American Society for Metabolic & Bariatric Surgery, Obesity Medicine Association, and American Society of Anesthesiologists - Executive Summary. *Endocrine practice : official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists*. Dec 2019;25(12):1346-1359. doi:10.4158/gl-2019-0406
35. Pratt JSA, Browne A, Browne NT, et al. ASMBS pediatric metabolic and bariatric surgery guidelines, 2018. *Surgery for obesity and related diseases : official journal of the American Society for Bariatric Surgery*. Jul 2018;14(7):882-901. doi:10.1016/j.soard.2018.03.019
36. O'Kane M, Parretti HM, Pinkney J, et al. British Obesity and Metabolic Surgery Society Guidelines on perioperative and postoperative biochemical monitoring and micronutrient replacement for patients undergoing bariatric surgery—2020 update. *Obesity Reviews*. 2020;21(11):e13087. doi:10.1111/obr.13087
37. Huemer M, Diodato D, Schwahn B, et al. Guidelines for diagnosis and management of the cobalamin-related remethylation disorders cblC, cblD, cblE,

- cbIF, cbIG, cbIJ and MTHFR deficiency. *J Inherit Metab Dis*. 2017;40(1):21-48. doi:10.1007/s10545-016-9991-4
38. American Diabetes Association Professional Practice C. 3. Prevention or Delay of Diabetes and Associated Comorbidities: Standards of Care in Diabetes—2024. *Diabetes Care*. 2023;47(Supplement\_1):S43-S51. doi:10.2337/dc24-S003
39. American Diabetes Association Professional Practice C. 4. Comprehensive Medical Evaluation and Assessment of Comorbidities: Standards of Care in Diabetes—2024. *Diabetes Care*. 2024;47(Supplement\_1):S52-S76. doi:10.2337/dc24-S004
40. APA. Practice Guideline for the Treatment of Patients With Eating Disorders. Fourth Edition. . 2023;doi:10.1176/appi.books.9780890424865
41. Obeid R, Andrès E, Češka R, et al. Diagnosis, Treatment and Long-Term Management of Vitamin B12 Deficiency in Adults: A Delphi Expert Consensus. *J Clin Med*. Apr 10 2024;13(8)doi:10.3390/jcm13082176
42. NICE. Vitamin B12 deficiency: Diagnosis and management. Updated March 6, 2024. <https://www.nice.org.uk/guidance/ng239>
43. Wolffenbuttel BH, Owen PJ, Ward M, Green R. Vitamin B12. *BMJ (Clinical research ed)*. 2023;383:e071725. doi:10.1136/bmj-2022-071725
44. Sands T, Jawed A, Stevenson E, Smith M, Jawaaid I. Vitamin B12 deficiency: NICE guideline summary. *BMJ (Clinical research ed)*. 2024;385:q1019. doi:10.1136/bmj.q1019

## Policy Update History:

Approval Date	Effective Date; Summary of Revisions
01/12/2026	05/01/2026; Document updated with literature review. Reimbursement Information unchanged. References revised.
01/23/2025	04/15/2025; Document updated with literature review. The following changes were made to Reimbursement Information: Added a three-month testing frequency for all vitamin B testing/screening, resulting in a new main criterion 1 which reads: "Total vitamin B12 (serum cobalamin) testing may be reimbursable once every three months for any of the following situations:" Former statements 1, 2, 3 are now included in this main criterion. Added new #7: For all other situations not described above, total vitamin B12 (serum cobalamin) testing is not reimbursable. References revised.
04/29/2024	01/15/2025; Document updated. Added #8: For the screening, testing, or confirmation of vitamin B12 deficiency, holotranscobalamin testing is not reimbursable. No references added.
03/15/2024	03/15/2024: Document updated with literature review. Reimbursement Information unchanged. References revised; some added; others updated. Added code 84999.
11/01/2023	11/01/2023: Document updated with literature review. The following changes were made to Reimbursement Information: revised #3aiv to include "or for those who have been scheduled for" regarding bariatric procedures; removed not reimbursable statement on holotranscobalamin testing for screening, testing or confirmation of vitamin B12 deficiency. Other changes made for clarity. References revised.
11/1/2022	11/01/2022: New policy