



If a conflict arises between a Clinical Payment and Coding Policy (“CPCP”) and any plan document under which a member is entitled to Covered Services, the plan document will govern. If a conflict arises between a CPCP and any provider contract pursuant to which a provider participates in and/or provides Covered Services to eligible member(s) and/or plans, the provider contract will govern. “Plan documents” include, but are not limited to, Certificates of Health Care Benefits, benefit booklets, Summary Plan Descriptions, and other coverage documents. BCBSOK may use reasonable discretion interpreting and applying this policy to services being delivered in a particular case. BCBSOK has full and final discretionary authority for their interpretation and application to the extent provided under any applicable plan documents.

Providers are responsible for submission of accurate documentation of services performed. Providers are expected to submit claims for services rendered using valid code combinations from Health Insurance Portability and Accountability Act (“HIPAA”) approved code sets. Claims should be coded appropriately according to industry standard coding guidelines including, but not limited to: Uniform Billing (“UB”) Editor, American Medical Association (“AMA”), Current Procedural Terminology (“CPT®”), CPT® Assistant, Healthcare Common Procedure Coding System (“HCPCS”), ICD-10 CM and PCS, National Drug Codes (“NDC”), Diagnosis Related Group (“DRG”) guidelines, Centers for Medicare and Medicaid Services (“CMS”) National Correct Coding Initiative (“NCCI”) Policy Manual, CCI table edits and other CMS guidelines.

Claims are subject to the code edit protocols for services/procedures billed. Claim submissions are subject to claim review including but not limited to, any terms of benefit coverage, provider contract language, medical policies, clinical payment and coding policies as well as coding software logic. Upon request, the provider is urged to submit any additional documentation.

Pancreatic Enzyme Testing for Acute Pancreatitis

Policy Number: CPCPLAB047

Version 1.0

Plan Effective Date: Nov. 1, 2022

Description

BCBSOK has implemented certain lab management reimbursement criteria. Not all requirements apply to each product. Providers are urged to review Plan documents for eligible coverage for services rendered.

Reimbursement Information:

1. Measurement of either serum lipase **OR** amylase concentration for the initial diagnosis of acute pancreatitis **may be reimbursable** in all patients presenting with signs and symptoms of acute pancreatitis* (please see Note 1).
2. Measurement of either serum lipase **OR** amylase concentration **is not reimbursable** in the following situations:
 - a. As part of an ongoing assessment of therapy for acute pancreatitis; OR
 - b. In determining the prognosis of pancreatitis; OR
 - c. In determining the severity or progression of pancreatitis; OR
 - d. More than once per visit; OR

- e. For the diagnosis, prognosis or severity of chronic pancreatitis; OR
 - f. As part of ongoing assessment or therapy of chronic pancreatitis
 - g. In asymptomatic nonpregnant individuals during general exam without abnormal findings
3. Measurement of the following biomarkers for the diagnosis or assessment of acute pancreatitis, prognosis, and/or determination of severity of acute pancreatitis **is not reimbursable**:
- a. measurement of both amylase **AND** serum lipase; OR
 - b. serum trypsin/trypsinogen/TAP (trypsinogen activation peptide)
4. Measurement of the following biomarkers for the diagnosis or assessment of acute pancreatitis, prognosis, and/or determination of severity of acute pancreatitis **is not reimbursable**:
- a. C-Reactive Protein (CRP)
 - b. Interleukin-6 (IL-6)
 - c. Interleukin-8 (IL-8)
 - d. Procalcitonin

***Note 1: Acute Pancreatitis Signs and Symptoms (Vege, 2018b):**

- Persistent, severe epigastric pain (that may be in the right upper quadrant for some patients)
- Nausea
- Vomiting
- “Approximately 5 to 10 percent of patients with acute severe pancreatitis may have painless disease and have unexplained hypotension.”
- Tender to palpitation of epigastrium
- Abdominal distention
- Hypoactive bowel sounds
- Fever
- Rapid pulse
- Tachypnea
- Hypoxemia
- Hypotension

Procedure Codes

Codes
82150, 83519, 83520, 83690, 84145, 86140

References:

AACC. (2020). AACC’s Guide to Lat Test Utilization. Retrieved from <https://www.aacc.org/advocacy-and-outreach/optimal-testing-guide-to-lat-test-utilization/a-f/amylase>

AED. (2016). EATING DISORDERS A GUIDE TO MEDICAL CARE. Retrieved from <http://www.nyeatingdisorders.org/pdf/AED%20Medical%20Management%20Guide%203rd%20Edition.pdf>

APA. (2006). Treatment of patients with eating disorders, third edition. American Psychiatric Association. *Am J Psychiatry*, 163(7 Suppl), 4-54. Retrieved from https://psychiatryonline.org/pb/assets/raw/sitewide/practice_guidelines/guidelines/eatingdisorders.pdf

ASCP. (2020). Thirty Things Physicians and Patients Should Question. Retrieved from https://www.ascp.org/content/docs/default-source/get-involved-pdfs/istp_choosingwisely/2019_ascp-30-things-list.pdf

Baillie, J. (2007). AGA Institute Medical Position Statement on Acute Pancreatitis. *Gastroenterology*, 132(5), 2019-2021. doi:10.1053/j.gastro.2007.03.066

Banks, P., & Freeman, M. (2006). Practice Guidelines in Acute Pancreatitis. *The American Journal Of Gastroenterology*, 101, 2379. doi:10.1111/j.1572-0241.2006.00856.x

Banks, P. A., Bollen, T. L., Dervenis, C., Gooszen, H. G., Johnson, C. D., Sarr, M. G., . . . Vege, S. S. (2013). Classification of acute pancreatitis—2012: revision of the Atlanta classification and definitions by international consensus. *Gut*, 62, 102-111.

Basnayake, C., & Ratnam, D. (2015). Blood tests for acute pancreatitis. *Australian Prescriber*, 38(4), 128-130. doi:10.18773/austprescr.2015.043

Bollen, T. L., Hazewinkel, M., & Smithuis, R. (2015, 05/01/2015). Pancreas-Acute Pancreatitis 2.0 2012 Revised Atlanta Classification of Acute Pancreatitis. *Radiology Assistant*. Retrieved from <http://www.radiologyassistant.nl/en/p550455dae5806/pancreas-acute-pancreatitis-20.html>

Borowitz, D., Grant, R., & Durie, P. (1995, 2016). Pancreatic Enzymes Clinical Care Guidelines. Retrieved from <https://www.cff.org/Care/Clinical-Care-Guidelines/Nutrition-and-GI-Clinical-Care-Guidelines/Pancreatic-Enzymes-Clinical-Care-Guidelines/>

Bradley, E. L., & Iii. (1993). A clinically based classification system for acute pancreatitis: Summary of the international symposium on acute pancreatitis, Atlanta, GA, September 11 through 13, 1992. *Archives of Surgery*, 128(5), 586-590. doi:10.1001/archsurg.1993.01420170122019

Burkart, J., Haigler, S., Caruana, R., & Hylander, B. (1991). Usefulness of peritoneal fluid amylase levels in the differential diagnosis of peritonitis in peritoneal dialysis patients. *J Am Soc Nephrol*, 1(10), 1186-1190.

Ceylan, M. E., Evrensel, A., & Önen Ünsalver, B. (2016). Hyperamylasemia Related to Sertraline. *Korean Journal of Family Medicine*, 37(4), 259-259. doi:10.4082/kjfm.2016.37.4.259

Clavien, P. A., Robert, J., Meyer, P., Borst, F., Hauser, H., Herrmann, F., . . . Rohner, A. (1989). Acute pancreatitis and normoamylasemia. Not an uncommon combination. *Ann Surg*, 210(5), 614-620.

Coffey, M. J., Nightingale, S., & Ooi, C. Y. (2013). Serum Lipase as an Early Predictor of Severity in Pediatric Acute Pancreatitis. *Journal of Pediatric Gastroenterology and Nutrition*, 56(6), 602-608. doi:10.1097/MPG.0b013e31828b36d8

Conwell, D. L., Lee, L. S., Yadav, D., Longnecker, D. S., Miller, F. H., Morteale, K. J., . . . Vege, S. S. (2014). American Pancreatic Association Practice Guidelines in Chronic Pancreatitis: Evidence-Based Report on Diagnostic Guidelines. *Pancreas*, 43(8). Retrieved from

https://journals.lww.com/pancreasjournal/Fulltext/2014/11000/American_Pancreatic_Association_Practice.6.aspx

Crockett, S. D., Wani, S., Gardner, T. B., Falck-Ytter, Y., & Barkun, A. N. (2018). American Gastroenterological Association Institute Guideline on Initial Management of Acute Pancreatitis. *Gastroenterology*, *154*(4), 1096-1101. doi:10.1053/j.gastro.2018.01.032

Eastler, J. (2017, 08/14/2017). Urine Trypsinogen 2 Dipstick for the Early Detection of Post-ERCP Pancreatitis. Retrieved from <https://clinicaltrials.gov/ct2/show/record/NCT03098082?view=record>

El Halabi, M., Bou Daher, H., Rustom, L.B.O., Marrache, M., Ichkhanian, Y., Kahil K., ... Sharara, A.I. (2019). Clinical utility and economic burden of routine serum lipase determination in the Emergency Department. *International Journal of Clinical Practice*, *73*(12), e13409. doi:<https://doi.org/10.1111/ijcp.13409>

FDA. (2005). *Review Criteria for Assessment of C-Reactive Protein (CRP), High Sensitivity C-Reactive Protein (hsCRP) and Cardiac C-Reactive Protein (cCRP) Assays*. Rockville, MD: U.S. Department of Health and Human Services Retrieved from <https://www.fda.gov/downloads/medicaldevices/deviceregulationandguidance/guidancedocuments/ucm071017.pdf>

FDA. (2018). Atellica IM BRAHMS Procalcitonin (PCT). Retrieved from <https://www.accessdata.fda.gov/scripts/cdrh/devicesatfda/index.cfm?db=pmn&id=K181002>

Freedman, S. D. (2017). Clinical manifestations and diagnosis of chronic pancreatitis in adults. *UpToDate*. Retrieved from <https://www.uptodate.com/contents/clinical-manifestations-and-diagnosis-of-chronic-pancreatitis-in-adults>

Furey, C., Buxbaum, J., & Chambliss, A. B. (2020). A review of biomarker utilization in the diagnosis and management of acute pancreatitis reveals amylase ordering is favored in patients requiring laparoscopic cholecystectomy. *Clin Biochem*, *77*, 54-56. doi:10.1016/j.clinbiochem.2019.12.014

Greenberg, J. A., Hsu, J., Bawazeer, M., Marshall, J., Friedrich, J. O., Nathens, A., . . . McLeod, R. S. (2016). Clinical practice guideline: management of acute pancreatitis. *Canadian journal of surgery. Journal canadien de chirurgie*, *59*(2), 128-140. doi:10.1503/cjs.015015

Guidelines, W. G. I. A. A. P. (2013). IAP/APA evidence-based guidelines for the management of acute pancreatitis. *Pancreatology*, *13*(4), e1-e15. doi:10.1016/j.pan.2013.07.063

Gumaste, V. V., Dave, P. B., Weissman, D., & Messer, J. (1991). Lipase/amylase ratio. A new index that distinguishes acute episodes of alcoholic from nonalcoholic acute pancreatitis. *Gastroenterology*, *101*(5), 1361-1366.

Hagjer, S., & Kumar, N. (2018). Evaluation of the BISAP scoring system in prognostication of acute pancreatitis - A prospective observational study. *Int J Surg*, *54*(Pt A), 76-81. doi:10.1016/j.ijssu.2018.04.026

Herrmann-Storck, C., Saint Louis, M., Foucand, T., Lamaury, I., Deloumeaux, J., Baranton, G., . . . Cornet, M. (2010). Severe Leptospirosis in Hospitalized Patients, Guadeloupe. *Emerging Infectious Diseases*, *16*(2), 331-334. doi:10.3201/eid1602.090139

Ismail, O. Z., & Bhayana, V. (2017). Lipase or amylase for the diagnosis of acute pancreatitis? *Clin Biochem*, 50(18), 1275-1280. doi:10.1016/j.clinbiochem.2017.07.003

Jakkampudi, A., Jangala, R., Reddy, R., Mitnala, S., Rao, G. V., Pradeep, R., . . . Talukdar, R. (2017). Acinar injury and early cytokine response in human acute biliary pancreatitis. *Sci Rep*, 7(1), 15276. doi:10.1038/s41598-017-15479-2

Kemppainen, E. A., Hedstrom, J. I., Puolakkainen, P. A., Sainio, V. S., Haapiainen, R. K., Perhoniemi, V., . . . Stenman, U. H. (1997). Rapid measurement of urinary trypsinogen-2 as a screening test for acute pancreatitis. *N Engl J Med*, 336(25), 1788-1793. doi:10.1056/nejm199706193362504

Khanna, A. K., Meher, S., Prakash, S., Tiwary, S. K., Singh, U., Srivastava, A., & Dixit, V. K. (2013). Comparison of Ranson, Glasgow, MOSS, SIRS, BISAP, APACHE-II, CTSI Scores, IL-6, CRP, and Procalcitonin in Predicting Severity, Organ Failure, Pancreatic Necrosis, and Mortality in Acute Pancreatitis. *HPB Surgery*, 2013, 367581. doi:10.1155/2013/367581

Kumar, P., Ghosh, A., Tandon, V., & Sahoo, R. (2016). Gulló's Syndrome: A Case Report. *Journal of Clinical and Diagnostic Research : JCDR*, 10(2), OD21-OD22. doi:10.7860/JCDR/2016/17038.7285

Lempinen, M., Kylänpää-Bäck, M.-L., Stenman, U.-H., Puolakkainen, P., Haapiainen, R., Finne, P., . . . Kemppainen, E. (2001). Predicting the Severity of Acute Pancreatitis by Rapid Measurement of Trypsinogen-2 in Urine. *Clinical Chemistry*, 47(12), 2103. Retrieved from <http://clinchem.aaccjnl.org/content/47/12/2103.abstract>

Leppaniemi, A., Tolonen, M., Tarasconi, A., Segovia-Lohse, H., Gamberini, E., Kirkpatrick, A. W., . . . Catena, F. (2019). 2019 WSES guidelines for the management of severe acute pancreatitis. *World J Emerg Surg*, 14, 27. doi:10.1186/s13017-019-0247-0

Levy, P., Boruchowicz, A., Hastier, P., Pariente, A., Thevenot, T., Frossard, J. L., . . . Ruszniewski, P. (2005). Diagnostic criteria in predicting a biliary origin of acute pancreatitis in the era of endoscopic ultrasound: multicentre prospective evaluation of 213 patients. *Pancreatology*, 5(4-5), 450-456. doi:10.1159/000086547

Li, N., Wang, B. M., Cai, S., & Liu, P. L. (2018). The Role of Serum High Mobility Group Box 1 and Interleukin-6 Levels in Acute Pancreatitis: A Meta-Analysis. *J Cell Biochem*, 119(1), 616-624. doi:10.1002/jcb.26222

Lippi, G., Valentino, M., & Cervellin, G. (2012). Laboratory diagnosis of acute pancreatitis: in search of the Holy Grail. *Critical Reviews in Clinical Laboratory Sciences*, 49(1), 18-31. doi:10.3109/10408363.2012.658354

Liu, P., Xiao, Z., Yan, H., Lu, X., Zhang, X., Luo, L., . . . Zhu, Y. (2021). Serum Amylase and Lipase for the Prediction of Pancreatic Injury in Critically Ill Children Admitted to the PICU. *Pediatric Critical Care Medicine*, 22(1), e10-e18. doi:10.1097/pcc.0000000000002525

Liu, S., Wang, Q., Zhou, R., Li, C., Hu, D., Xue, W., . . . Peng, A. (2016). Hyperamylasemia as an Early Predictor of Mortality in Patients with Acute Paraquat Poisoning. *Medical Science Monitor : International Medical Journal of Experimental and Clinical Research*, 22, 1342-1348. doi:10.12659/MSM.897930

NASPGHAN. (2018). Management of Acute Pancreatitis in the Pediatric Population: A Clinical Report From the North American Society for Pediatric Gastroenterology, Hepatology and Nutrition Pancreas Committee. Retrieved from https://www.naspgghan.org/files/Management_of_Acute_Pancreatitis_in_the_Pediatric.33.pdf

Neoptolemos, J. P., Kemppainen, E. A., Mayer, J. M., Fitzpatrick, J. M., Raraty, M. G., Slavin, J., . . . Puolakkainen, P. A. (2000). Early prediction of severity in acute pancreatitis by urinary trypsinogen activation peptide: a multicentre study. *Lancet*, *355*(9219), 1955-1960.

Pacheco, R. C., & Oliveira, L. C. (2007). [Lipase/amylase ratio in biliary acute pancreatitis and alcoholic acute/acute chronic pancreatitis]. *Arq Gastroenterol*, *44*(1), 35-38.

Pancreatitis, U. W. P. o. A. (2005). UK guidelines for the management of acute pancreatitis. *Gut*, *54*(suppl 3), iii1. Retrieved from http://gut.bmj.com/content/54/suppl_3/iii1.abstract

Pathology, A. S. f. C. (2016, 09/14/2016). Do not test for amylase in cases of suspected acute pancreatitis. Instead, test for lipase. *Twenty Things Physicians and Patients Should Question*. Retrieved from <http://www.choosingwisely.org/clinician-lists/american-society-clinical-pathology-testing-for-amylase/>

Pezzilli, R., Venturi, M., Morselli-Labate, A. M., Ceciliato, R., Lamparelli, M. G., Rossi, A., . . . Corinaldesi, R. (2004). Serum Trypsinogen Activation Peptide in the Assessment of the Diagnosis and Severity of Acute Pancreatic Damage: A Pilot Study Using a New Determination Technique. *Pancreas*, *29*(4), 298-305. Retrieved from https://journals.lww.com/pancreasjournal/Fulltext/2004/11000/Serum_Trypsinogen_Activation_Peptide_in_the.9.aspx

Quinlan, J. D. (2014). Acute pancreatitis. *Am Fam Physician*, *90*(9), 632-639.

Rau, B. M., Kemppainen, E. A., Gumbs, A. A., Buchler, M. W., Wegscheider, K., Bassi, C., . . . Beger, H. G. (2007). Early assessment of pancreatic infections and overall prognosis in severe acute pancreatitis by procalcitonin (PCT): a prospective international multicenter study. *Ann Surg*, *245*(5), 745-754. doi:10.1097/01.sla.0000252443.22360.46

Rompianesi, G., Hann, A., Komolafe, O., Pereira, S. P., Davidson, B. R., & Gurusamy, K. S. (2017). Serum amylase and lipase and urinary trypsinogen and amylase for diagnosis of acute pancreatitis. *Cochrane Database of Systematic Reviews*(4). doi:10.1002/14651858.CD012010.pub2

Sendler, M., & Lerch, M. M. (2020). The Complex Role of Trypsin in Pancreatitis. *Gastroenterology*, *158*(4), 822-826. doi:10.1053/j.gastro.2019.12.025

Simsek, O., Kocael, A., Kocael, P., Orhan, A., Cengiz, M., Balci, H., . . . Uzun, H. (2018). Inflammatory mediators in the diagnosis and treatment of acute pancreatitis: pentraxin-3, procalcitonin and myeloperoxidase. *Arch Med Sci*, *14*(2), 288-296. doi:10.5114/aoms.2016.57886

Stevens, T., & Conwell, D. L. (2018, 10/05/2016). Exocrine pancreatic insufficiency. *UpToDate*. Retrieved from <https://www.uptodate.com/contents/exocrine-pancreatic-insufficiency>

Tenner, S., Baillie, J., DeWitt, J., Vege, S. S., & American College of, G. (2013). American College of Gastroenterology guideline: management of acute pancreatitis. *Am J Gastroenterol*, *108*(9), 1400-1415; 1416. doi:10.1038/ajg.2013.218

- Tenner, S. M., & Steinberg, W. (1992). The admission serum lipase:amylase ratio differentiates alcoholic from nonalcoholic acute pancreatitis. *Am J Gastroenterol*, *87*(12), 1755-1758.
- Terui, K., Hishiki, T., Saito, T., Mitsunaga, T., Nakata, M., & Yoshida, H. (2013). Urinary amylase / urinary creatinine ratio (uAm/uCr) - a less-invasive parameter for management of hyperamylasemia. *BMC Pediatrics*, *13*, 205-205. doi:10.1186/1471-2431-13-205
- Tian, F., Li, H., Want, L., Li, B., Aibibula, M., Zhao, H., ... Ma, X. (2020). The diagnostic value of serum C-reactive protein, procalcitonin, interleukin-6 and lactate dehydrogenase in patients with severe acute pancreatitis. *Clinica Chimica Acta*, *510*, 665-670. doi:https://doi.org/10.1016/j.cca.2020.02.029
- Toouli, J., Brooke-Smith, M., Bassi, C., Carr-Locke, D., Telford, J., Freeny, P., . . . Tandon, R. (2002). Guidelines for the management of acute pancreatitis. *J Gastroenterol Hepatol*, *17 Suppl*, S15-39.
- Vege, S. S. (2020, 05/21/2018). Approach to the patient with elevated serum amylase or lipase. *UpToDate*. Retrieved from <https://www.uptodate.com/contents/approach-to-the-patient-with-elevated-serum-amylase-or-lipase>
- Vege, S. S. (2019). Clinical manifestations and diagnosis of acute pancreatitis. *UpToDate*. Retrieved from <https://www.uptodate.com/contents/clinical-manifestations-and-diagnosis-of-acute-pancreatitis>
- Vege, S. S. (2021, 02/24/2017). Pathogenesis of acute pancreatitis. *UpToDate*. Retrieved from <https://www.uptodate.com/contents/pathogenesis-of-acute-pancreatitis>
- Ventrucci, M., Pezzilli, R., Naldoni, P., Plate, L., Baldoni, F., Gullo, L., & Barbara, L. (1987). Serum pancreatic enzyme behavior during the course of acute pancreatitis. *Pancreas*, *2*(5), 506-509.
- Wilson, J., & Smith, R. (2015). Chronic pancreatitis and the use of PERT. In A. P. C. P. G. W. Party (Ed.), *Australasian guidelines for the management of pancreatic exocrine insufficiency* (Vol. Oct 2015). Ourimbah, NSW, Australia: Australasian Pancreatic Club.
- Witt, H., Apte, M. V., Keim, V., & Wilson, J. S. (2007). Chronic pancreatitis: challenges and advances in pathogenesis, genetics, diagnosis, and therapy. *Gastroenterology*, *132*(4), 1557-1573. doi:10.1053/j.gastro.2007.03.001
- Wolfe, B. E., Jimerson, D. C., Smith, A., & Keel, P. K. (2011). Serum Amylase in Bulimia Nervosa and Purging Disorder: Differentiating the Association with Binge Eating versus Purging Behavior. *Physiology & behavior*, *104*(5), 684-686. doi:10.1016/j.physbeh.2011.06.025
- Yadav, D., Agarwal, N., & Pitchumoni, C. S. (2002). A critical evaluation of laboratory tests in acute pancreatitis. *Am J Gastroenterol*, *97*(6), 1309-1318. doi:10.1111/j.1572-0241.2002.05766.x
- Yang, H., Wang, H., Chavan, S. S., & Andersson, U. (2015). High Mobility Group Box Protein 1 (HMGB1): The Prototypical Endogenous Danger Molecule. *Mol Med*, *21 Suppl 1*, S6-s12. doi:10.2119/molmed.2015.00087
- Yasuda, H., Kataoka, K., Takeyama, Y., Takeda, K., Ito, T., Mayumi, T., . . . Shimosegawa, T. (2019). Usefulness of urinary trypsinogen-2 and trypsinogen activation peptide in acute pancreatitis: A multicenter study in Japan. *World J Gastroenterol*, *25*(1), 107-117. doi:10.3748/wjg.v25.i1.107

Zhan, X., Wan, J., Zhang, G., Song, L., Gui, F., Zhang, Y., . . . Ji, B. (2019). Elevated intracellular trypsin exacerbates acute pancreatitis and chronic pancreatitis in mice. *Am J Physiol Gastrointest Liver Physiol*, 316(6), G816-g825. doi:10.1152/ajpgi.00004.2019

Policy Update History:

11/1/2022	New policy
-----------	------------